

PRESEKAR

PRODAJA IN SERVIS OPREME

Špruha 42, 1236 Trzin, Slovenia

Tel.: +386 1 56 44 770

Mob.: +386 41 638 609

Fax: +386 1 56 44 772

www.presekar.eu

prodaja@presekar.com

aleksander.presekar@presekar.com

TOOLS THAT MAKE THEIR MARK.



TOOL CATALOGUE

2023

PNEUMATIC TOOLS



Pneumatic tools

Impact wrenches 231–232

Air ratchets 233

Die grinder 234

Pneumatic air blow guns 235–237

Impact wrenches



V5671N, EAN 4047728076715

Mini impact wrench

- Compact design for areas with restricted access
- Multiple power settings in forward and reverse with one-hand adjustment
- Exhaust air is guided downwards through the handle
- Cold insulated handle
- High performance single hammer striking mechanism
- Ergonomically shaped handle and housing for improved handling and operation
- Bumper on the housing side protects the air motor




125 1/2"



NEW

Maximum loosening torque 1200 Nm



12.91(4) 7.2
Coupler plug included

VIGOR No.	max. Nm	Nm	Nm	1/min	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+
V5671N	125 1/2"	850	600	1200	10000	1.28	10	141.5	6.3	95.3	6.81 076715

V4800N, EAN 4047728075633

Impact wrench

- Exhaust air is guided downwards through the handle
- Cold insulated handle
- High performance twin hammer mechanism
- Ergonomically shaped handle and housing for improved handling and operation
- Bumper on the housing side protects the air motor

ECO GIANT


125 1/2"



12.91(4) 7.2
Coupler plug included

High performance twin hammer mechanism

Maximum loosening torque: 1720 Nm



12.91(4) 7.2
Coupler plug included

VIGOR No.	max. Nm	Nm	Nm	1/min	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+
V4800N	125 1/2"	1100	850	1720	7000	2.3	10	198.1	6.3	96.7	6.47 075633

V6899N, EAN 4047728076944

Impact wrench

- Multiple power settings in forward and reverse with one-hand adjustment
- Cold insulated handle
- Exhaust air is guided downwards through the handle
- High performance twin hammer mechanism
- Ergonomically shaped handle and housing for improved handling and operation
- Bumper on the housing side protects the air motor




Maximum loosening torque 2300 Nm



20 3/4"

NEW



12.91(16) 7.2
Coupler plug included

VIGOR No.	max. Nm	Nm	Nm	1/min	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+
V6899N	20 3/4"	2000	1400	2300	5500	3.6	13	254.8	6.3	97.9	5.75 076944

V3653, EAN 4047728036535

Impact wrench

- Multiple power settings in forward and reverse with one-hand adjustment
- Exhaust air is guided downwards through the handle
- Cold insulated handle
- High performance twin hammer mechanism
- Ergonomically shaped handle and housing for improved handling and operation


GIGA GIANT

12.5 1/2"



High performance twin hammer mechanism

Maximum loosening torque: 1890 Nm



12.91(16) 7.2
Coupler plug included

VIGOR No.	max. Nm	Nm	Nm	1/min	mm	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+
V3653	12.5 1/2"	1290	700	1890	8500	1.95	10	113	6.3	96	12.92	036535

Air ratchets




V5674, EAN 4047728056748

Air ratchet

- For areas with restricted access
- Reversing switch on ratchet head





236 mm
Ø 40.7 mm
62 mm



QUICK GIANT

6.3 1/4"

12.91 (1/4") 7.2
Coupler plug included



VIGOR No.	max. Nm	1/min	mm	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+	
V5674	6.3 1/4"	35.2	240	236	0.6	10	77	6.3	87.5	3.47	056748

V6554, EAN 4047728065542

Air ratchet

- For areas with restricted access
- Reversing switch on ratchet head





236 mm
Ø 40.7 mm
62 mm



QUICK GIANT

10 3/8"

12.91 (1/4") 7.2
Coupler plug included




VIGOR No.	max. Nm	1/min	mm	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+	
V6554	10 3/8"	35.2	240	236	0.6	10	77	6.3	87.5	3.47	065542

V5675, EAN 4047728056755

Air ratchet

- For areas with restricted access
- Reversing switch on ratchet head





308.5 mm
Ø 48.3 mm
56.5 mm



QUICK GIANT

12.5 1/2"

12.91 (1/4") 7.2
Coupler plug included



VIGOR No.	max. Nm	1/min	mm	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+
V5675	12.5 1/2"	67	160	308.5	1.2	10	114	6.3	100.5	056755

V5672, EAN 4047728056724


Die grinder · straight design

- Cutter, cutting wheels, grinding pads with 3 and 6 mm collet chuck



Including Ø 3 mm collet chuck

Including Ø 6 mm collet chuck



SPEED GIANT

12.91(1/4") 7.2

Coupler plug included



VIGOR No.	mm	1/min	mm	W Watt	kg	Ø mm	l/min	bar	dB (A)	m/s ²	EAN 4047728+
V5672	3-6 mm	22000	203	350	0.54	10	128.2	6.3	97.1	2.90	056724

V5673, EAN 4047728056731


Die grinder · angled

- Cutter, cutting wheels, grinding pads with 3 and 6 mm collet chuck



Including Ø 3 mm collet chuck

Including Ø 6 mm collet chuck



SPEED GIANT

12.91(1/4") 7.2

Coupler plug included




VIGOR No.	mm	1/min	mm	W Watt	kg	Ø mm	l/min	bar	dB (A)	EAN 4047728+
V5673	3-6 mm	20000	206	250	0.45	10	85.5	6.3	101.6	056731

V6906, EAN 4047728069069

Die grinder set · mini

- Straight design
- Small design for areas with restricted access
- For grinding, polishing or deburring
- Including 3 and 6 mm collet chuck
- Exhaust air is guided downwards through the handle
- Including 10-piece grindstone set V6906-10



SPEED GIANT

V6906-10, EAN 4047728069571

Grindstone set

- Grinding stones for VIGOR die grinders V6906 · V5672 · V5673



VIGOR No.	mm	1/min	W Watt	kg	Ø mm	l/min	bar	dB (A)	EAN 4047728+
V6906	3-6 mm	25000	185	0.31	10	85	6.3	102	069069



Pneumatic air blow guns




V6905, EAN 4047728069052

Tyre inflator

- One-hand operation with ergonomic handle
- Rubber-coated manometer for protecting against small impacts
- Easily legible precision manometer with bar and PSI display
- Graduation: 0.1 bar
- Easily adjustable filling lever and discharge button, easy to reach on the handle
- Discharge button for levelling the filling capacity




FILL GIANT



V7135, EAN 4047728071352

Air blow gun · short


- Fast removal and cleaning of chips and other foreign objects
- Long-life aluminium housing
- Suspension device incorporated



V7135-150, EAN 4047728071369

Air blow gun · long

- Fast removal and cleaning of chips and other foreign objects
- Long-life aluminium housing
- Suspension device incorporated



V7143-10, EAN 4047728071437

Hose reel

- Reduces danger of accident, as there is no hose lying around
- Compact housing including opening flap for the removal of dirt or to straighten the hose
- Wall holder: 180° pivotable
- Automatic roll up through guided feed
- Pneumatic adapter pre-installed
- Hybrid polymer hose
- Auto stop function
- Impact-resistant polypropylene housing
- Adapted pull-in force
- Maximum working pressure: 12 bar



Pneumatic air blow guns



V4322, EAN 4047728043229

Underbody protection gun

- Can be used with all common cartridges of 1000 ml
- The flexible 500 mm hose supplied with nozzle for spreading wax allows for an effortless application of wax in hollow spaces
- Simple application of the underbody protection (or noise protection) with nozzle installed as standard
- Application recommendation: Open cartridge, insert suction tube, tighten cartridge. Ready for use!



V6907, EAN 4047728075497

Mini grease gun

- Grease tube can be changed quickly due to the screw thread
- Feed rate: 0.45 ml/stroke
- Lubricating nipple in 30° and 90° designs
- Inside thread M15x1.5



V6907-1, EAN 4047728075503

High performance lubricant

- Grease from striking mechanisms, spindles and screw connections
- Replacement grease tube for V6907
- Corrosion protection thanks to good adhesion on metallic surfaces
- Filling capacity: 100 ml
- Outside thread: M 15x1.5

